

# Warning Whips

- Designed with safety managers and industry experts to provide the highest level of visibility and reliability in any weather or working condition
- Premium fiberglass resin backed by a 5-year guarantee
- 3, 5, 6, 8, 10 or 12 foot lengths available





# Best Whips Available

Checkers™ continually works with safety managers and industry experts to design warning whips and accessories that provide the highest level of visibility and reliability in any weather or working condition.

Checkers Industrial Strength Warning Whips are constructed with a premium fiberglass resin to ensure the highest performance in any condition. Available in 3, 5, 6, 8, 10 or 12 foot lengths, these whips include a threaded hex base for vehicle attachment and either a heavy duty Day Bright™ fluorescent orange, green, or yellow flag to help identify vehicles, equipment, or important locations at work sites.

We offer a variety of base mounts and a choice of lighted or non-lighted whips, with various lighting and mounting options available as accessories. Checkers Warning Whips are engineered to handle the harshest conditions at mines, construction sites, and other industrial applications.



## Advantages Of Using Checkers Warning Whips

- The most popular warning whips in the highly-demanding mining industry
- Lighted and non-lighted whips available with a wide selection of lighting and mounting options
- Extensive product and accessory assortment allows for customization to meet your precise needs
- Manufactured with a premium fiberglass resin creating the strongest whip in the industry
- Premium fiberglass resin is coated with a 3-5 year finish preventing fiber bloom or exposed fiberglass slivers
- Includes heavy duty Day Bright™ fluorescent nylon mesh flag with 3M® Scotchlite® reflective X (available in orange, green and yellow)

## Choosing The Right Model

### Lighted



\*Lighted Warning Whips: Lighting options and mounting accessories sold separately. Lighting option included with Heavy Duty Whips.

### Lighting Options\*

Various colors and styles of lighting are available. Choose the combination that fits your application.  
\*Sold separately, except for Heavy Duty and All-Purpose Whips

### Flag Style

When selecting your warning whip, be sure to specify your desired flag size, color, and whether you would like a 3M® Scotchlite® reflective X on your flag.

### Whip Length

Whip lengths vary. Choose the correct whip length to fit the requirements necessary for your application.

### Whip Base

Various Warning Whip base options and mounting accessories are available. Select the correct warning whip base depending upon your specific need.

### Non-Lighted



\*Non-Lighted Warning Whips: Mounting accessories sold separately

## Checkers™ Warning Whips Reference Guide

**Heavy Duty Whips (lighted)**

- Includes 18-in pigtail, heavy duty Day Bright™ fluorescent nylon mesh flag with 3M® Scotchlite® reflective X, choice of lighting option, threaded hex base, and heavy duty spring mounting base
- High-quality power cable runs continuously from lamp through hex base
- Various flag color and lighting options
- Highly durable and resistant whips

**All Purpose Whips (lighted)**

- Includes a two-conductor waterproof hot plug with 12-in pigtail, heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X, Rocket II Super Bright Waterproof LED light, and stainless steel threaded hex base
- New waterproof LED light socket
- The strongest whip in the industry

**General Purpose Whips (lighted and non-lighted)**

- Includes heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X, fiberglass whip, and threaded hex base mount. Lighted models include a single-conductor hot plug with 12-in pigtail and lamp socket.
- Heavy duty wiring reduces shorts caused by extreme temperatures
- Various flag color options, and lighting options on lighted models
- Various models—including quick disconnect base and telescoping poles

**Light Duty Whips (non-lighted)**

- Includes orange nylon-mesh flag, and 7-foot non-lighted fiberglass whip with threaded hex base mount
- Various whip colors available



Whip Type	Flag Style	Whip Length	Whip Base	Pole Style	Lighted Whips		Non-Lighted Whips
					Lighting Type	Page	Page
Heavy Duty	Standard 12 x 11 in, orange/yellow with X	12, 10, 8, 6, 5, 3 ft	SS threaded hex with spring mount	Standard	12 LED, amber	75	—
All Purpose	12 x 11 in or 16 x 16 in, with or without X, or no flag; 3 color options	12, 10, 8, 6, 5, 3 ft	Hex and spring mount with pigtail	Standard	5 color options, 3 types	76-77	—
All Purpose	12 x 11 in or 16 x 16 in, with or without X; 3 color options	12, 10, 8, 6, 5, 3 ft	Hex and RCA, optional spring mount	Standard	5 color options, 2 types	78-79	—
All Purpose LED wrapped	12 x 11 in or 16 x 16 in, with or without X; 3 color options	10, 8, 6, 5, 3 ft	Hex and RCA, optional spring mount	Standard	5 color options, 2 types	80-81	—
General Purpose	12 x 11 in or 16 x 16 in, with or without X, triangle, or no flag; 3 color options	12, 10, 8, 6, 5, 3 ft	Hex	Standard	Separate option	82	84
General Purpose	Standard 12 x 16 in, orange with X	21, 15, 13, 10, 8 ft	Telescoping base	Telescoping	Separate option	82	84
General Purpose	12 x 11 in or 16 x 16 in, with or without X, or no flag; 3 color options	12, 10, 8, 6, 5, 3 ft	Quick disconnect	Standard	Separate option	83	85
General Purpose	12 x 11 in or 16 x 16 in, with or without X, or no flag; 3 color options	12, 10, 8 ft	Quick disconnect	Split Pole	Separate option	83	85
Light Duty	7 color options	7 ft	Hex	Standard	—	—	86

# Super Whip Heavy Duty Lighted Warning Whips

with stainless steel threaded mounting base

Super Whip Heavy Duty Lighted Warning Whips with stainless steel threaded mounting base are designed without a lamp socket connection to eliminate failures often caused by socket corrosion.

Super Whip Heavy Duty Lighted Warning Whips include a sealed electrical connection with 18 in pigtail, premium fiberglass resin whip, Heavy Duty Day Bright™ Florescent orange flag with yellow 3M® Scotchlite® reflective X, and a ultra heavy duty spring mount. These whips are wired with a high quality power cable that is integrated directly into the whips, which eliminates potential breaks to the internal wires. They also include a polyolefin heat-shrink tubing to contain the fiberglass and prevent personal injury from fiberglass deterioration or fractures in the fiberglass whip. Super Whip Heavy Duty Lighted Warning Whips are engineered with a cold temperature rating of -75° C/-103° F.

Super Whip Heavy Duty Lighted Warning Whips are available in 3, 5, 6, 8, 10 or 12 foot lengths and come with a solid amber 12 LED light and a 12 in x 11 in orange nylon mesh flag with a yellow 3M® Scotchlite® reflective X.

- 3, 5, 6, 8, 10 or 12 foot lengths
- Includes heavy duty spring mount
- Heavy Duty Day Bright™ Florescent orange nylon mesh flag with yellow 3M® Scotchlite® reflective X
- Whip constructed of premium fiberglass resin
- High-quality continuous power cable from light to base


12-24 Volt, 12 Amber LED Light

Sealed electrical connection

Heavy Duty Day Bright™ Florescent orange nylon mesh flag with yellow 3M® Scotchlite® reflective X

Continuous power cable from LED to mounting base

Polyolefin heat shrink tubing to prevent fiber bloom and fractures from top to bottom



## Model Numbers For Super Whip Heavy Duty Lighted Warning Whips

(Includes Chrome Plated Heavy Duty Spring Mount With 18 in Pigtail, Flag, 12 LED Amber Light)

Type of Flag	12" x 11" w/x	Prop 65	
Pole Length	12 ft	SW12	⚠
	10 ft	SW10	⚠
	8 ft	SW8	⚠
	6 ft	SW6	⚠
	5 ft	SW5	⚠
	3 ft	SW3	⚠
Standard flag color: 12 in x 11 in orange flag & yellow 3M® Scotchlite® reflective x			



**⚠ WARNING:** This product can expose you to chemicals including Nickel Compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

For accessories, replacement parts and lighting options, see pages 86-89.



Spring Mount with 1 in Threads



Sealed Base  
Stainless Steel Mounting Base

Ultra Heavy Duty Zinc Plated Spring Mount

Pigtail Extends 18 in from Spring Mount

## All-Purpose Lighted Warning Whips with Pigtail

featuring waterproof sealed lamp socket, hex base, and spring mount with continuous pigtail

All-Purpose Lighted Warning Whips with Pigtail are constructed from a premium fiberglass resin (available in 3, 5, 6, 8, 10 or 12 foot lengths) and include a heavy duty Day Bright™ fluorescent nylon mesh flag with 3M® Scotchlite® reflective X in orange, green or yellow, and threaded ultra heavy duty spring mount for vehicle attachment. Various interchangeable lights are available as options. Delivered fully assembled and ready for installation.

To prevent deterioration, a weather-resistant, polyolefin heat-shrink tubing is used to seal the interchangeable lamp socket to prevent moisture, chemicals, and debris from contacting electrical connectors. The hex base is also sealed to provide additional protection.

For improved durability, All-Purpose Lighted Warning Whips With Pigtail feature a high quality, continuous power cable that extends from the lamp through the hex base and heavy duty spring mount. This eliminates pinched wires, multiple solder joints, and hot plug power connections - all of which can cause failure due to corrosion. The custom designed power cable is molded into the whip and consists of 2 conductors, 20 AWG, 19 x 32 strand, triple-coated thermoplastic elastomer (TPE) insulation and features a cold temperature rating of -75° C/-103° F.

All-Purpose Warning Whips have a 5-year guarantee against fiberglass deterioration known as fiber bloom or exposed fiberglass slivers.

- 3, 5, 6, 8, 10 or 12 foot lengths available
- Sealed connections prevent corrosion & deterioration
- Interchangeable light options
- Premium fiberglass resin backed by a 5-year guarantee not to fiberbloom or expose fiberglass slivers
- -75° C/-103° F temperature rating of power cable

For accessories, replacement parts and lighting options, see pages 86-89.



12-24 Volt Sealed Lamp Socket

Heavy Duty Day Bright™ fluorescent nylon mesh flag with 3M® Scotchlite® reflective X

Continuous power cable extends from the lamp through the entire whip and exits through the heavy duty spring mount



Ultra Heavy Duty Spring Mount

Continuous power cable extends 18" from spring mount

Comes standard with Ultra Heavy Duty Spring Mount

Formerly Gorilla Warning Whips


# Build Your Own All-Purpose Lighted Warning Whip with Pigtail

To build your own All-Purpose Lighted Warning Whips with Pigtail, create a custom part number by selecting one code from each column below and transfer that code to the black lines below the arrows.


A: Whip Length	B: Flag Size	C: Flag Color	D: Reflexite X Color	E: Lighting Options	F: Base Type
3	12	O	W	4	Pigtail
5	16	G	Y	5	↓
6	NF	Y	N	6	
8	(Leave blank for NF option)	(Leave blank for NF option)	(Leave blank for NF option)	7	
10				8	
12				9	
↓				10	
↓				11	
↓	12				
↓	13				
↓	16				

PART NUMBER | **AP** \_\_\_\_\_ **PT**

**⚠ WARNING:** This product can expose you to chemicals including Nickel Compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## Rocket Super Bright LED Lights for All-Purpose Lighted Warning Whip with Pigtail



A: Whip Length	3, 5, 6, 8, 10, or 12 ft Whip
B: Flag Size	12 = 12 in x 11 in 16 = 16 in x 16 in NF = No Flag
C: Flag Color	O = Orange G = Green Y = Yellow (Leave blank for NF option)
D: Reflexite X Color	W = White Reflective X Y = Yellow Reflective X N = No X (Leave blank for NF option)
E: Lighting Options	4 = White Flashing LED 5 = White LED 6 = Blue Flashing LED 7 = Blue LED 8 = Amber Flashing LED 9 = Amber LED 10 = Red Flashing LED 11 = Red LED 12 = Green Flashing LED 13 = Green LED 16 = Amber Glo-Worm
F: Base Type	PT = PIGTAIL

## Glo-Worm™ Lights



**⚠ WARNING:** This product can expose you to chemicals including Nickel Compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## All-Purpose Lighted Warning Whips with RCA Plug

featuring waterproof sealed lamp socket, hex base, and RCA with spring mount option

All-Purpose Lighted Warning Whips with RCA Plug feature stainless steel components sets the new standard for weather resistance in any working conditions. With multiple patent-pending features, these whips are ideal for extreme weather conditions such as coastal areas, corrosive environments, salt mines, and areas with high humidity.

- 3, 5, 6, 8, 10 or 12 foot lengths available
- Rocket II Super Bright Waterproof LED Lights are up to 10 times brighter than competing brands
- Multiple patent-pending features
- Most weather-resistant whip on the market
- -75° C/-103° F temperature rating of power cable
- Includes a two conductor waterproof hot plug with 12 in pigtail, heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X, New Rocket II Super Bright Waterproof LED light
- Patent-pending waterproof LED light socket
- Rocket II Super Bright Waterproof LED comes with 5 different color options to choose from with 2 different light modes: flashing or steady on
- Premium fiberglass resin creates the strongest whip in the industry
- Improved, patent-pending internal ground connection that helps eliminate power failures
- Patent-pending waterproof hot plug connection with two conductor 12 in pigtail
- Internal wire is industrial grade and meets Military Spec MIL-W-16878
- Can withstand 12-24 Volts




**Features stainless steel components. Ideal for extreme weather conditions such as coastal areas, corrosive environments, salt mines, and areas with high humidity.**

For accessories, replacement parts and lighting options, see pages 86-89.

Stainless Steel Mounting Base

Waterproof Power Connection



# Build Your Own All-Purpose Lighted Warning Whip with RCA Plug


To build your own all-purpose lighted Warning Whip with RCA plug, create a custom part number by selecting one code from each column below and transfer that code to the black lines below the arrows.

A: Whip Length	B: Flag Size	C: Flag Color	D: Reflexite X Color	E: LED Light Color
3	12	O	W	A
5	16	G	Y	AF
6	NF	Y	(Leave blank for NF option)	B
8		(Leave blank for NF option)		BF
10				G
12				GF
				R
				RF
				W
				WF

\*See page 87 for all replacement spring models.


Part Number | **AP** \_\_\_\_\_ . \_\_\_\_\_ . \_\_\_\_\_ . \_\_\_\_\_ . \_\_\_\_\_

**WARNING:** This product can expose you to chemicals including Nickel Compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# Rocket II Super Bright LED Whip Lights

for All-Purpose Lighted Warning Whips with RCA Plug



A: Whip Length	3, 5, 6, 8, 10, or 12 ft Whip
B: Flag Size	12 = 12 in x 11 in 16 = 16 in x 16 in NF = No flag
C: Flag Color	O = Orange G = Green Y = Yellow (Leave blank for NF option)
D: Reflexite X Color	W = White Reflective X Y = Yellow Reflective X (Leave blank for NF option)
E: LED Light Colors	A = Amber LED AF = Amber Flashing LED B = Blue LED BF = Blue Flashing LED G = Green LED GF = Green Flashing LED R = Red LED RF = Red Flashing LED W = White LED WF = White Flashing LED

**WARNING:** This product can expose you to chemicals including Nickel Compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## All-Purpose LED Wrapped Lighted Warning Whips

featuring LED wrapped whip, waterproof sealed lamp socket, hex base, and RCA with spring mount option

All-Purpose LED Wrapped Lighted Warning Whips with stainless steel components sets the new standard for high visibility performance in any working conditions. With multiple patent-pending features, these whips are ideal for applications such as mining, industrial, oil and gas, and off road vehicles such as ATV's.

- LED-wrapped whip covered with clear heat-shrink
- 3, 5, 6, 8 or 10 foot lengths available
- Rocket II Super Bright Waterproof LED Lights are up to 10 times brighter than competing brands
- Most weather-resistant whip on the market
- -75° C/-103° F temperature rating of power cable
- Whip wrapped with LED lights and covered with clear heat shrink for water-resistant protection
- LED's come in white, amber or blue
- Includes a two conductor waterproof hot plug with 12 in pigtail, heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X, New Rocket II Super Bright Waterproof LED light
- New patent-pending waterproof LED light socket
- Rocket II Super Bright Waterproof LED comes with 5 different color options to choose from with 2 different light modes: flashing or steady on
- Premium fiberglass resin creates the industry's strongest whip
- Improved, patent-pending internal ground connection that helps eliminate power failures
- Patent-pending waterproof hot plug connection with two conductor 12 in pigtail
- Can withstand 12 Volts
- Features stainless steel components
- Increased night visibility



LED Wrapped Whip

For accessories, replacement parts and lighting options, see pages 86-89.


# Build Your Own All-Purpose LED Wrapped Lighted Warning Whip

To build your own All-Purpose LED Wrapped Lighted Warning Whip, create a custom part number by selecting one code from each column below and transfer that code to the black lines below the arrows.

A: Whip Light Wrap Color	B: Whip Length	C: Flag Color	D: Reflexite X Color	E: LED Light Color
A W B	3 5 6 8 10	O G Y NF	W Y  (Leave blank for NF option)	A AF B BF G GF R RF W WF

\* See page 87 for all replacement spring models.


Part Number | **FSLED** \_\_\_\_\_



**WARNING:** This product can expose you to chemicals including Nickel Compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Rocket II Super Bright LED Whip Lights

for All-Purpose LED Wrapped Lighted Warning Whips



<b>A: Whip Light Wrap Color</b>	A = Amber W = White B = Blue
<b>B: Whip Length</b>	3, 5, 6, 8, or 10 ft Whip
<b>C: Flag Color</b>	O = Orange G = Green Y = Yellow
<b>D: Reflexite X Color</b>	W = White Reflective X Y = Yellow Reflective X
<b>E: LED Light Colors</b>	A = Amber LED AF = Amber Flashing LED B = Blue LED BF = Blue Flashing LED G = Green LED GF = Green Flashing LED R = Red LED RF = Red Flashing LED W = White LED WF = White Flashing LED

**WARNING:** This product can expose you to chemicals including Nickel Compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Threaded Hex Base General Purpose Lighted Safety Whips

Checkers™ General Purpose Lighted Safety Whips with threaded hex base includes a hot plug with 12 in Pigtail, heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X, premium fiberglass resin whip, and your choice of base mount. The heavy duty wiring in these whips helps to reduce shorts caused by extreme temperatures and conditions. Individual lights must be bought separately. Threaded Hex Base Warning Whips are available in 3, 5, 6, 8, 10 or 12 foot lengths and your choice of an orange, green, or yellow flag.

- 3, 5, 6, 8, 10 or 12 foot lengths
- Hot plug with 12 in pigtail
- Wide variety of lighting options
- Orange, green or yellow heavy duty Day Bright™ fluorescent nylon mesh flag with or without X
- Whip constructed from premium fiberglass resin

Shown with optional light (light sold separately); see page 86 for lighting options



### Model Numbers For Threaded Hex Base Lighted Whips

Includes Mounting Base, Lamp Socket and Hot Plug with 12 in Pigtail

Type of Flag	12" x 11"	12" x 11" w/x	16" x 16"	16" x 16" w/x	Triangle	No Flag	Prop 65	
Pole Length	12 ft	FS12L*	FS12XL*	FS12L-16*	FS12XL-16*	FS12L-T*	FS12L-NF	⚠
	10 ft	FS10L*	FS10XL*	FS10L-16*	FS10XL-16*	FS10L-T*	FS10L-NF	⚠
	8 ft	FS8L*	FS8XL*	FS8L-16*	FS8XL-16*	FS8L-T*	FS8L-NF	⚠
	6 ft	FS6L*	FS6XL*	FS6L-16*	FS6XL-16*	FS6L-T*	FS6L-NF	⚠
	5 ft	FS5L*	FS5XL*	FS5L-16*	FS5XL-16*	FS5L-T*	FS5L-NF	⚠
	3 ft	FS3L*	FS3XL*	FS3L-16*	FS3XL-16*	FS3L-T*	FS3L-NF	⚠
*Specify flag color after model Number: O=Orange, G=Green, Y=Yellow								

For accessories, replacement parts and lighting options, see pages 86-89.

**⚠ WARNING:** This product can expose you to chemicals including Nickel Compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Telescoping Pole General Purpose Lighted Safety Whips

Checkers™ General Purpose Lighted Safety Whips with telescoping pole are adjustable length whips that extend to 8, 10, 13, 15, and 21 feet. These whips are divided into sections that are connected by cam-locks. To adjust the whip length, simply flip the handle up on the cam-lock to loosen, extend the section(s) to desired length, and then flip down the handle on the cam-lock to tighten. This easy-to-use systems allows you to quickly remove a whip and break it down into a manageable size that can be easily stored in a vehicle.

With a high-visibility flag and light, these warning whips provide easy identification of other vehicles, equipment, and important sites in your area. Telescoping pole whips feature a painted white fiberglass pole that protects against fiber bloom and a heavy duty Day Bright™ fluorescent nylon mesh flag with a 3M® Scotchlite® reflective X. This system requires a Hitch Mount or Flat Mount for vehicle attachment. Lighted models feature lamp socket, a superior coiled wire that easily extends and retracts without pinching or binding, and a water-resistant, easy-lock hot plug with 12 in pigtail for power connection.

- 8, 10, 13, 15 or 21 foot lengths
- Water resistant, easy-lock, hot plug with 12 in pigtail
- Adjusts quickly with cam-locks
- Coiled wire extends and retracts without binding
- Whip constructed with premium fiberglass resin
- Comes with orange flag with white reflective X

Shown with optional light (light sold separately); see page 86 for lighting options



Easy-to-use Cam-Locks

### Model Numbers For Telescoping Pole Lighted Whips

Includes Coiled Wire Power Cord, Heavy Duty Easy-Lock Hot Plug and 12 in Pigtail

	Model	Description	Prop 65	
Pole Length	21 ft	TPCWHP21XL-16-O	21 ft Pole Collapsed Length: 118 in	⚠
	15 ft	TPCWHP15XL-16-O	15 ft Pole Collapsed Length: 94 in	⚠
	13 ft	TPCWHP13XL-16-O	13 ft Pole Collapsed Length: 92 in	⚠
	10 ft	TPCWHP10XL-16-O	10 ft Pole Collapsed Length: 77 in	⚠
	8 ft	TPCWHP8XL-16-O	8 ft Pole Collapsed Length: 62 in	⚠
Flag comes standard with 16 in x 16 in orange flag and white 3M® Scotchlite® reflective X				

For accessories, replacement parts and lighting options, see pages 86-89.

**⚠ WARNING:** This product can expose you to chemicals including Nickel Compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Quick Disconnect Base General Purpose Lighted Safety Whips

Checkers™ General Purpose Lighted Safety Whips with quick disconnect base include a heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X, premium fiberglass resin whip, and male disconnect base (female base must be purchased separately). Heavy duty wiring helps reduce shorts caused by extreme conditions. Individual lights must be bought separately.

- 3, 5, 6, 8, 10 or 12 foot lengths
- Quickly attach or detach from vehicle
- Wide variety of lighting options
- Choose from heavy duty orange, green or yellow flag
- Whip constructed of premium fiberglass resin
- Quick Disconnect Base has stainless steel components

Shown with optional light (light sold separately); see page 86 for lighting options



### Model Numbers For Quick Disconnect Base Lighted Whips

Includes Male Quick Disconnect Mounting Base, Lamp Socket and Hot Plug with 12 in Pigtail (Female quick disconnect base mount must be purchased separately.)

Type of Flag	12" x 11"	12" x 11" w/x	16" x 16"	16" x 16" w/x	No Flag	Prop 65	
Pole Length	12 ft	FS12L-QD*	FS12XL-QD*	FS12L-16-QD*	FS12XL-16-QD*	FS12L-QD-NF	⚠
	10 ft	FS10L-QD*	FS10XL-QD*	FS10L-16-QD*	FS10XL-16-QD*	FS10L-QD-NF	⚠
	8 ft	FS8L-QD*	FS8XL-QD*	FS8L-16-QD*	FS8XL-16-QD*	FS8L-QD-NF	⚠
	6 ft	FS6L-QD*	FS6XL-QD*	FS6L-16-QD*	FS6XL-16-QD*	FS6L-QD-NF	⚠
	5 ft	FS5L-QD*	FS5XL-QD*	FS5L-16-QD*	FS5XL-16-QD*	FS5L-QD-NF	⚠
	3 ft	FS3L-QD*	FS3XL-QD*	FS3L-16-QD*	FS3XL-16-QD*	FS3L-QD-NF	⚠

\*Specify flag color after model number: O=Orange, G=Green, Y=Yellow

For accessories, replacement parts and lighting options, see pages 86-89.

**⚠ WARNING:** This product can expose you to chemicals including Nickel Compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)


## Split Pole And Quick Disconnect Base General Purpose Lighted Safety Whips

Checkers General Purpose Split Pole Lighted Safety Whips have a quick disconnect connection in the center so they can be broken down into smaller pieces for storage in a toolbox, trunk or truck. Bottom half has a male quick disconnect for quick vehicle detachment, when paired with a female quick disconnect base mount or hitch mount (must be purchased separately). Lights must be bought separately. Available in 8, 10 or 12 foot lengths and your choice of an orange, green, or yellow flag.

- 8, 10 or 12 foot lengths
- Quickly attach or detach from vehicle
- Easily breaks down into smaller sections
- Choose from heavy duty orange, green or yellow flag
- Wide variety of lighting options
- Whip constructed of premium fiberglass resin



Shown with optional light (light sold separately); see page 86 for lighting options



### Model Numbers For Split Pole Base Lighted Whips

Includes Male Quick Disconnect Mounting Base, Lamp Socket and Hot Plug with 12 in Pigtail (Female quick disconnect base mount must be purchased separately.)

Type of Flag	12" x 11"	12" x 11" w/x	16" x 16"	16" x 16" w/x	No Flag	Prop 65	
Pole Length	12 ft	FS12L-SPQD*	FS12XL-SPQD*	FS12L-16-SPQD*	FS12XL-16-SPQD*	FS12L-SPQD-NF	⚠
	10 ft	FS10L-SPQD*	FS10XL-SPQD*	FS10L-16-SPQD*	FS10XL-16-SPQD*	FS10L-SPQD-NF	⚠
	8 ft	FS8L-SPQD*	FS8XL-SPQD*	FS8L-16-SPQD*	FS8XL-16-SPQD*	FS8L-SPQD-NF	⚠

\*Specify flag color after model number: O=Orange, G=Green, Y=Yellow

For accessories, replacement parts and lighting options, see pages 86-89.

**⚠ WARNING:** This product can expose you to chemicals including Nickel Compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Threaded Hex Base General Purpose Non-Lighted Safety Whips

Checkers™ General Purpose Non-Lighted Safety Whips with threaded hex base include a heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X, premium fiberglass resin whip, and your choice of base mount. Threaded Hex Base Warning Whips are available in 3, 5, 6, 8, 10 or 12 foot lengths and your choice of an orange, green, or yellow flag.

- 3, 5, 6, 8, 10, or 12 foot lengths
- Heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X
- Flags available in orange, green or yellow
- Whip constructed of premium fiberglass resin
- Hitch mount available


For accessories, replacement parts and lighting options, see pages 86-89.

### Model Numbers or Threaded Hex Base Non-Lighted Whips

Includes Mounting Base and Flag

Type of Flag	12" x 11"	12" x 11" w/x	16" x 16"	16" x 16" w/x	Triangle	No Flag	Prop 65	
Pole Length	12 ft	FS12*	FS12X*	FS12-16*	FS12X-16*	FS12-T*	FS12-NF	—
	10 ft	FS10*	FS10X*	FS10-16*	FS10X-16*	FS10-T*	FS10-NF	—
	8 ft	FS8*	FS8X*	FS8-16*	FS8X-16*	FS8-T*	FS8-NF	—
	6 ft	FS6*	FS6X*	FS6-16*	FS6X-16*	FS6-T*	FS6-NF	—
	5 ft	FS5*	FS5X*	FS5-16*	FS5X-16*	FS5-T*	FS5-NF	—
	3 ft	FS3*	FS3X*	FS3-16*	FS3X-16*	FS3-T*	FS3-NF	—

\*Specify flag color after model number: O=Orange, G=Green, Y=Yellow



## Telescoping Pole General Purpose Non-Lighted Safety Whips

Checkers™ General Purpose Non-Lighted Safety Whips with telescoping pole are adjustable length whips that extend to 8, 10, 13, 15 and 21 feet. These whips are divided into sections that are connected by cam-locks. To adjust the whip length, simply flip the handle up on the cam-lock to loosen, extend the section(s) to desired length, and then flip down the handle on the cam-lock to tighten. This easy-to-use systems allows you to quickly remove a whip and break it down into a manageable size that can be easily stored in a vehicle.

With a high-visibility flag, these warning whips provide easy identification of other vehicles, equipment, and important sites in your area. Telescoping pole whips feature a painted white fiberglass pole that protects against fiber bloom and a heavy duty Day Bright™ fluorescent nylon mesh flag with a 3M® Scotchlite® reflective X. This system requires a Hitch Mount for vehicle attachment.

- 8, 10, 13, 15 or 21 foot lengths
- Tallest flag in the All-Purpose line
- Adjusts quickly with cam-locks
- Heavy duty orange Day Bright™ fluorescent nylon mesh flag with 3M® Scotchlite® reflective X
- Whip constructed of premium fiberglass resin

For accessories, replacement parts and lighting options, see pages 86-89.

### Model Numbers For Telescoping Pole Non-Lighted Whips

Includes Orange Flag with White Reflexite X

	Model	Description	Prop 65	
Pole Length	21 ft	TP21X-16-O	21 ft Pole Collapsed Length: 118 in	—
	15 ft	TP15X-16-O	15 ft Pole Collapsed Length: 94 in	—
	13 ft	TP13X-16-O	13 ft Pole Collapsed Length: 92 in	—
	10 ft	TP10X-16-O	10 ft Pole Collapsed Length: 77 in	—
	8 ft	TP8X-16-O	8 ft Pole Collapsed Length: 62 in	—

Flag comes standard with 16 in x 16 in orange flag and white 3M® Scotchlite® reflective x



Easy-to-use Cam-Locks

## Quick Disconnect Base General Purpose Non-Lighted Safety Whips

Checkers™ General Purpose Non-Lighted Safety Whips with quick disconnect base include a heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X, premium fiberglass resin whip, and male disconnect base (female base must be purchased separately). Available in 3, 5, 6, 8, 10 or 12 foot lengths and your choice of an orange, green, or yellow flag.


- 3, 5, 6, 8, 10 or 12 foot lengths
- Quickly attach or detach from vehicle
- Includes Debris Cap to keep unconnected base clean
- Choose from heavy duty orange, green or yellow flag
- Whip constructed of premium fiberglass resin
- Quick Disconnect Base has stainless steel components

### Model Numbers For Quick Disconnect Base Non-Lighted Whips

Includes Male Quick Disconnect Mounting Base  
(Female quick disconnect base mount must be purchased separately.)

Type of Flag	12" x 11"	12" x 11" w/x	16" x 16"	16" x 16" w/x	No Flag	Prop 65	
Pole Length	12 ft	FS12-QD*	FS12X-QD*	FS12-16-QD*	FS12X-16-QD*	FS12-QD-NF	—
	10 ft	FS10-QD*	FS10X-QD*	FS10-16-QD*	FS10X-16-QD*	FS10-QD-NF	—
	8 ft	FS8-QD*	FS8X-QD*	FS8-16-QD*	FS8X-16-QD*	FS8-QD-NF	—
	6 ft	FS6-QD*	FS6X-QD*	FS6-16-QD*	FS6X-16-QD*	FS6-QD-NF	—
	5 ft	FS5-QD*	FS5X-QD*	FS5-16-QD*	FS5X-16-QD*	FS5-QD-NF	—
	3 ft	FS3-QD*	FS3X-QD*	FS3-16-QD*	FS3X-16-QD*	FS3-QD-NF	—
*Specify flag color after model number: O=Orange, G=Green, Y=Yellow							

For accessories, replacement parts and lighting options, see pages 86-89.



## Split Pole And Quick Disconnect Base General Purpose Non-Lighted Safety Whips

Checkers™ General Purpose Split Pole Lighted Safety Whips have a Quick Disconnect connection in the center so they can be broken down into smaller pieces for storage in a toolbox, trunk or truck. Bottom half has a Male Quick Disconnect for quick vehicle detachment, when paired with a Female Quick Disconnect Base Mount or Hitch Mount (must be purchased separately). Available in 8, 10 or 12 foot lengths and your choice of an orange, green, or yellow flag.


- 8, 10 or 12 foot lengths
- Quickly attach or detach from vehicle
- Easily breaks down into smaller sections
- Choose from heavy duty orange, green or yellow flag
- Whip constructed of premium fiberglass resin
- Hitch mounts available

For accessories, replacement parts and lighting options, see pages 86-89.

### Model Numbers For Split Pole Base Non-Lighted Whips

Includes Male Quick Disconnect Mounting Base (Female quick disconnect base mount must be purchased separately.)

Type of Flag	12" x 11"	12" x 11" w/x	16" x 16"	16" x 16" w/x	No Flag	Prop 65	
Pole Length	12 ft	FS12-SPQD*	FS12X-SPQD*	FS12-16-SPQD*	FS12X-16-SPQD*	FS12-SPQD-NF	—
	10 ft	FS10-SPQD*	FS10X-SPQD*	FS10-16-SPQD*	FS10X-16-SPQD*	FS10-SPQD-NF	—
	8 ft	FS8-SPQD*	FS8X-SPQD*	FS8-16-SPQD*	FS8X-16-SPQD*	FS8-SPQD-NF	—
*Specify flag color after model number: O=Orange, G=Green, Y=Yellow							



## Light Duty Warning Whips

### for recreational and light duty applications

Light Duty Warning Whips include a non-lighted, 7-foot flexible fiberglass whip with an orange flag and threaded hex base mount. Ideal for recreational equipment, and also make great markers for points of interest or caution.

- Seven whip colors to choose from
- Durable nylon-mesh orange flag
- Includes threaded hex mounting base

For accessories, replacement parts and lighting options, see pages 86-89.

Model	Color	Description	Prop 65
FSRR7B-HB	Black	7 ft Whip with Flag & Threaded Hex Mounting Base	—
FSRR7BLU-HB	Blue	7 ft Whip with Flag & Threaded Hex Mounting Base	—
FSRR7G-HB	Green	7 ft Whip with Flag & Threaded Hex Mounting Base	—
FSRR7O-HB	Orange	7 ft Whip with Flag & Threaded Hex Mounting Base	—
FSRR7R-HB	Red	7 ft Whip with Flag & Threaded Hex Mounting Base	—
FSRR7W-HB	White	7 ft Whip with Flag & Threaded Hex Mounting Base	—
FSRR7Y-HB	Yellow	7 ft Whip with Flag & Threaded Hex Mounting Base	—



## Warning Whip Replacement Lights

### for General Purpose Lighted Safety Whips with an 1156 Socket

Checkers™ Lighted Warning Whips are available in different lighting options: LED Rocket, LED Glo-Worm™ and Traditional Lens Kits. These lighting options are easy to connect and work with any Checkers Lighted Warning Whip with an 1156 socket.

#### Easy-To-Install Interchangeable Lamps

Checkers Lighted Whips feature interchangeable LED lights so there is no need to return your whips to the factory for replacement.

To replace a light, simply:


1. Slit the heat-shrink tubing
2. Remove the old light
3. Install the new light
4. Reseal with new heat-shrink tubing (included with all new lights)

## Rocket II Lights



Solid LED Models	Flashing LED Models	Clr.	Volts	Amps	Prop 65
WLFS.4LED.A	WLFS.4LED.AF	Yellow	12-24	.20	⚠
WLFS.4LED.B	WLFS.4LED.BF	Blue	12-24	.20	⚠
WLFS.4LED.G	WLFS.4LED.GF	Green	12-24	.20	⚠
WLFS.4LED.R	WLFS.4LED.RF	Red	12-24	.20	⚠
WLFS.4LED.W	WLFS.4LED.WF	White	12-24	.20	⚠

## Glo-Worm™ Lights



GSLED12-6-A FSLED12-6-A

Model	Color	Volts	Amps	Description	Prop 65
GSLED12-6-A	Yellow	12	.13	6 in w/heat shrink tubing	⚠
FSLED12-6-A	Yellow	12	.13	6 in w/o heat shrink tubing	⚠

**⚠ WARNING:** This product can expose you to chemicals including Nickel Compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Traditional Lens Kit

(Includes lens, chrome lens cap & 12 Volt Lamp)




FS7020-KIT-A FS7020-KIT-R

Model	Clr.	Volts	Amps	Description	Prop 65
FS7020-KIT-A	Yellow	12	.65	Traditional High-Impact Plastic Lens Kit with Lens Cap and Lamp	⚠
FS7020-KIT-R	Red	12	.65	Traditional High-Impact Plastic Lens Kit with Lens Cap and Lamp	⚠

## Accessories & Replacement Parts for Warning Whips

One of the benefits to using Checkers™ Warning Whips is having the ability to use our wide variety of mounting options that accommodate almost any need you may have. We also offer a full selection of replacement parts.


### Spring Mounts



Model	Description	Prop 65
FS7006	Heavy Duty Spring Mount with Bright Zinc Finish for Lighted Models in 3 ft to 8 ft lengths (Includes Lock Washer and Jam Nut)	—
FS7006-DUD	Heavy Duty Spring Mount with Bright Zinc Finish for Non-Lighted Models in 3 ft to 8 ft lengths (Includes Lock Washer and Jam Nut)	—
FS7006U	Ultra Heavy Duty Spring Mount with Bright Zinc Finish for Lighted Models in 10 ft to 12 ft lengths (Includes Lock Washer and Jam Nut)	—
FS7006U-DUD	Ultra Heavy Duty Spring Mount with Bright Zinc Finish for Non-Lighted Models in 10 ft to 12 ft lengths (Includes Lock Washer and Jam Nut)	—


### Assorted Mounts

Model	Description	Prop 65
FS7012	Aluminum "L" Bracket Mount (Mounting Hardware Included)	—
FS7016	Billet, Fold-Down, Tab Mount Bracket	—
FS7017	12 Ga. Black Powder-Coated Steel, Flat Surface Mounting Bracket	—
FS7018	Steel Fire Hydrant/Flange Mount with Bright Zinc Finish	—
FS7019	Aluminum tube style mirror bracket for 1/2 in. to 1 in OD. (Mounting hardware included)	—
FS7050	Steel Stake Mount with Bright Zinc Finish	—
WDRS	Steel Fold Down Whip Retainer Bracket, Black Powder Coated with Three 1/4 in Universal Mounting Holes. Quickly Fastens Whips Down (Mounting Hardware NOT Included)	—
VIAMOUNTF	Steel Quick Release Fold Down Mounting Bracket, Black Powder Coated with Stainless Steel Hardware (Mounting Hardware NOT Included)	—
VIAMOUNT	Steel "L" Mounting Bracket, Black Powder Coated with Four 1/4 in Universal Mounting Holes and 1/2 in Hole for Attaching Whip (Mounting Hardware NOT Included)	—
VIAMOUNTS	Steel "L" Mounting Bracket, Black Powder Coated with Four 1/4 in Universal Mounting Holes and 1/2 in Slit for Attaching Whip (Mounting Hardware NOT Included)	—
FS3009LD	Magnetic Mounting Base - ONLY for Light Duty Non-Lighted Whips up to 7 ft	—
FS7009	Magnetic Mount Base with Handle	—
FS7009PC	Magnetic Mount Base w/ Handle & 7 ft Coiled Power Cord	—
FS7009PCS	Magnetic Mount Base w/ Handle & 7 ft Coiled Power Cord w/ Switch-On Lighter Plug	—



\*Recommended for use with 3 & 5 ft whips and are for temporary use only


## Quick Disconnect Parts



Model	Description	Prop 65
FSQD-B	Female Quick Disconnect Base Mount with Hot Plug with 12 in Pigtail and Debris Cap (for Lighted Models)	—
FSQD-BPT	Female Quick Disconnect Base Mount with 12 in Pigtail and Debris Cap (for Lighted Models)	—
FSQDB-DUD	Female Quick Disconnect Base Mount with Debris Cap (for Non-Lighted Models)	—
FSQD-KIT*	Quick Disconnect Base Mount Kit with Female/Male Components and Debris Cap (for Lighted Models)	—
FSQDKIT-DUD*	Quick Disconnect Base Mount Kit with Female/Male Components and Debris Cap (for Non-Lighted Models)	—
FSQDCAP-B	Quick Disconnect Debris Cap Replacement	—

\*Use to convert a Threaded Hex Base Mount into a Male Quick Disconnect

## Hitch Mounts




FS7015  
2 in Hitch Mount with Threaded Hex Base (Non-Powered)




FS7015-QD  
2 in Hitch Mount with Female Quick Disconnect Base and Debris Cap (Non-Powered)




FS7015PC  
2 in Hitch Mount with Threaded Hex Base and 24 in Power Cord with 7-Way Plug



FS7015PC-QD  
2 in Hitch Mount with Female Quick Disconnect Base Mount, Debris Cap and 24" in Power Cord with 7-Way Plug



FS7015PC-BU  
2 in Hitch Mount with Threaded Hex Base, 24 in Power Cord with 7-Way Plug and Backup Alarm



FS7015PC-BU-QD  
2 in Hitch Mount with Female Quick Disconnect Base Mount, Debris Cap, 24in Power Cord with 7-Way Plug and Backup Alarm



FS7015-PT  
2 in Permanent Hitch Mount for Super Whip and Heavy Duty All Purpose Whip with 7-way Power Crd



TP7015  
2 in Hitch Mount (Non-Powered) for Telescoping Poles



TP7015PC  
2 in Hitch Mount with 24 in Power Cord with 7-Way Plug for Telescoping Poles






TP7015PC-BU  
2 in Hitch Mount with 24 in Power Cord with 7-Way Plug and Backup Alarm for Telescoping Poles

## Extensions for Warning Whips

Model	Description	Prop 65
FSEXT-6	6 ft Whip Extension with Threaded Hex Base and Hot Plug	—
FSEXT-5	5 ft Whip Extension with Threaded Hex Base and Hot Plug	—
FSEXT-4	4 ft Whip Extension with Threaded Hex Base and Hot Plug	—
FSEXT-3	3 ft Whip Extension with Threaded Hex Base and Hot Plug	—
FSEXT-6-DUD	6 ft Whip Extension with Threaded Hex Base (Non-Powered)	—
FSEXT-5-DUD	5 ft Whip Extension with Threaded Hex Base (Non-Powered)	—
FSEXT-4-DUD	4 ft Whip Extension with Threaded Hex Base (Non-Powered)	—
FSEXT-3-DUD	3 ft Whip Extension with Threaded Hex Base (Non-Powered)	—



## Misc. Parts for lighted Warning Whips




Model	Description	Prop 65
FS7008	Easy Mount Adapter with 12 in Hot Wire Pigtail	—
FS7008-2	Easy Mount Adapter with 12 in Hot Wire and Ground Wire Pigtails	—
FS9026	Hot Plug	—
FS9028	Hot Plug with 12 in Hot Wire Pigtail	—
TP9028	Hot Plug with Debris Cap and 12 in Pigtail	—
FSWPPG	Waterproof Hot Plug with 12 in Hot Wire Pigtail	—
ZFLENS-RKT-C-4	Replacement Lens for Rocket II LED Super Bright Lights	—
05.WL.4LED.*	Replacement Board for Rocket II LED Super Bright Lights	—

\*Reference page 81 for LED LIGHT color option codes



## Replacement Flags

Heavy duty Day Bright™ fluorescent nylon mesh flag for All-Purpose Warning Whips Heavy Duty Whips. Available in two sizes, three colors, and with the option of a white or yellow 3M® Scotchlite® reflective X. Mounting clips included.



**FS3007**  
Orange, Plastic-Coated Nylon Mesh Flag for Light Duty Whips  
11.5 in x 7.25 in  
with Mounting Clips

Type of Flag	12 in x 11 in	12 in x 11 in with White X	12 in x 11 in with Yellow X	16 in x 16 in	16 in x 16 in with White X	16 in x 16 in with Yellow X	Prop 65
Orange	FS9024-O	FS9025-O	FS8025-O	FS9024-16-O	FS9025-16-O	FS8025-16-O	—
Green	FS9024-G	FS9025-G	FS8025-G	FS9024-16-G	FS9025-16-G	FS8025-16-G	—
Yellow	FS9024-Y	FS9025-Y	FS8025-Y	FS9024-16-Y	FS9025-16-Y	FS8025-16-Y	—


## Wing Whips

Designed to protect your aircraft's scimitars

Airlines have introduced "split scimitar" winglets into passenger service. The redesign now includes a downturned tip in addition to the traditional upturned wingtip that further reduces drag. This new split scimitar winglet design reduces fuel burn by up to 2%, but has caused some safety issues on tarmacs. Baggage handlers and vehicles oftentimes need to maneuver under the wings, and the scimitar has reduced clearance height. This has caused Checkers to introduce the Wing Whip!

The Wing Whip was designed to be placed under the wingtip to protect the scimitars on aircrafts from damage by passing vehicles. The whip stands 7 ft tall with two brightly colored whips held in a V shaped pattern underneath the scimitar by the patent-pending Wing Whip Bracket. The bracket was designed to fit a standard delineator with a 16 lb base (30 lb base option available for windy locations).

- Each Wing Whip is equipped with flags with reflective X's that allows optimal functionality day and night
- The Wing Whip sits at the eye level of a ground vehicle driver to allow maximum visibility
- Manufacturer recommends two units per wing for maximum safety and visibility
- Deters ground vehicles from entering problematic areas
- Avoids hundreds of thousands of dollars in repairs to the wing of the aircraft
- Helps to maintain airline efficiency by keeping all scheduled aircraft operational and on-time



Part Number	DELFS3OBWUNI
Width	49.96 in (126.9 cm)
Height	88.76 in (225.45 cm)
Depth	18 in (45.72 cm)
Flag Angle	30° in
Weight	20 lb (9.07 kg)
Prop 65	—